Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Nuclear Instruments and Methods in Physics Research A 509 (2003) 361–367
NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH Section A
www.elsevier.com/locate/nima

Author Index

Abrahams, J.P., see Plaisier, J.R. . . . 509 (2003) 274
Abreu, M.C., see Mendes, P.R. . . . 509 (2003) 333
Accensi, M., see Glasser, F. . . . 509 (2003) 183
Al-Ajili, A., see Roy, P. . . . 509 (2003) 132
Amendolia, S.R., see Novelli, M. . . . 509 (2003) 283
Anelli, G., see Da Via, C. . . . 509 (2003) 86
Anton, G., see Bert, Ch. . . . 509 (2003) 240
Anton, G., see Giersch, J. . . . 509 (2003) 151
Anton, G., see Niederlöhner, D. . . . 509 (2003) 138
Anton, G., see Pfeiffer, K.-F.G. . . . 509 (2003) 340
Ayzenshtat, G.I., E.A. Babichev, S.E. Baru, V.R. Groshev, G.A. Savinov, O.P. Tolbanov and A.P. Vorobiev, GaAs detectors for medical imaging . . . 509 (2003) 268
Ayzenshtat, G.I., M.V. Bimatov, O.P. Tolbanov and A.P. Vorobiev, Charge collection in X-ray pixel detectors based on SI-GaAs doped with Cr . . . 509 (2003) 52

Babentsov, V., see Fiederle, M. . . . 509 (2003) 70
Babichev, E.A., see Ayzenshtat, G.I. . . . 509 (2003) 268
Badel, X., J. Linnros, M.S. Janson and J. Österman, Formation of pn junctions in deep silicon pores for X-ray imaging detector applications . . . 509 (2003) 96
Badel, X., see Hjelm, M. . . . 509 (2003) 76
Baffert, N., see Glasser, F. . . . 509 (2003) 183
Baldazzi, G., D. Bollini, A.E.C. Rodriguez, W. Dąbrowski, A.D. Garcia, M. Gambaccini, P. Giubellino, M. Gombia, P. Grybos, M. Idzik, A. Marzari-Chiesa, L.M.M. Zetina, F. Prino, L. Ramello, M. Sitta, K. Swientek, A. Taibi, A. Tuffanelli, R. Wheadon and P. Wiacek, X-ray imaging with a silicon microstrip detector coupled to the RX64 ASIC . . . 509 (2003) 315
Baldazzi, G., see Mendes, P.R. . . . 509 (2003) 333
Baru, S.E., see Ayzenshtat, G.I. . . . 509 (2003) 268
Bates, R., see Roy, P. . . . 509 (2003) 132
Bätz, L., see Pfeiffer, K.-F.G. . . . 509 (2003) 340
Baumeister, D., see van Bakel, N. . . . 509 (2003) 176
Bavdaz, M., see Gostilo, V. . . . 509 (2003) 47
Beche, J.-F., see Kwiatkowski, K. . . . 509 (2003) 200
Beekman, F.J., A.P. Colijn, B. Vastenhouw, V.M. Wiegant and M.A.F.M. Gerrits, High-resolution emission tomography of small laboratory animals: physics and gamma-astronomy meet molecular biology. . . . 509 (2003) 229
Bello, D.S.S., M. van Beuzekom, P. Jansweijer, H. Verkooijen and J. Visschers, An interface board for the control and data acquisition of the Medipix2 chip . . . 509 (2003) 164
Benz, K.W., see Fiederle, M. . . . 509 (2003) 70
Bert, Ch., D. Niederlöhner, J. Giersch, K.-F. Pfeiffer and G. Anton, Computed tomography using the Medipix1 chip . . . 509 (2003) 240
Bert, Ch., see Niederlöhner, D. . . . 509 (2003) 138
Bethke, K., see Kogan, V. . . . 509 (2003) 290
Betta, G.F.D., see Novelli, M. . . . 509 (2003) 283
Beyne, E., Multilayer thin-film technology enabling technology for solving high-density interconnect and assembly problems. . . . 509 (2003) 191
Bimatov, M.V., see Ayzenshtat, G.I. . . . 509 (2003) 52

doi:10.1016/S0168-9002(03)02089-8

Bisogni, M.G., see Novelli, M. . . . 509 (2003) 283
Blank, T.V., Y.A. Goldberg and O.V. Konstantinov, Temperature dependence of the performance of ultraviolet detectors . . . 509 (2003) 109
Blue, A., see Cunningham, W. . . . 509 (2003) 235
Boerkamp, T., see Fornaini, A. . . . 509 (2003) 206
Bollini, D., see Baldazzi, G. . . . 509 (2003) 315
Bollini, D., see Mendes, P.R. . . . 509 (2003) 333
Bos, A.J.J., see Farahmand, M. . . . 509 (2003) 262
Boscardin, M., see Novelli, M. . . . 509 (2003) 283
Bourgoin, J.C., see Bréelle, E. . . . 509 (2003) 26
Bourgoin, J.C., see Sellin, P. . . . 509 (2003) 65
Bréelle, E., H. Samic, G.C. Sun and J.C. Bourgoin, Performances of epitaxial GaAs detectors . . . 509 (2003) 26
Brocklebank, L., The clinical value of X-ray images of the teeth and jaws . . . 509 (2003) 251
Broennimann, C., see Plaisier, J.R. . . . 509 (2003) 274
Budnitsky, D.L., see Tyazhev, A.V. . . . 509 (2003) 34
Bulten, H.J., see van Bakel, N. . . . 509 (2003) 176

Cadeddu, S., see Quarati, F. . . . 509 (2003) 92
Campbell, M., see Llopart, X. . . . 509 (2003) 157
Campbell, M., see Tlustos, L. . . . 509 (2003) 102
Caria, M., Workshop summary . . . 509 (2003) 355
Caria, M., see Quarati, F. . . . 509 (2003) 92
Chichilnisky, E.J., see Cunningham, W. . . . 509 (2003) 235
Colijn, A.P., see Beekman, F.J. . . . 509 (2003) 229
Cunningham, W., J. Melone, M. Horn, V. Kazukauskas, P. Roy, F. Doherty, M. Glaser, J. Vaitkus and M. Rahman, Performance of irradiated bulk SiC detectors . . . 509 (2003) 127
Cunningham, W., K. Mathieson, M. Horn, J. Melone, F.A. McEwan, A. Blue, V. O'Shea, K.M. Smith, A. Litke, E.J. Chichilnisky and M. Rahman, Pixel detectors for use in retina neurophysiology studies . . . 509 (2003) 235
Cunningham, W., see Vaitkus, J. . . . 509 (2003) 60

Dąbrowski, W., see Baldazzi, G. . . . 509 (2003) 315
Dabrowski, W., see Mendes, P.R. . . . 509 (2003) 333
Dapkus, L., see Silenas, A. . . . 509 (2003) 30
Da Via, C., G. Anelli, J. Hasi, P. Jarron, C. Kenney, A. Kok, Sherwood Parker, E. Perozziello and S.J. Watts, Advances in silicon detectors for particle tracking in extreme radiation environments . . . 509 (2003) 86
David, A., The readout system of the NA60 silicon microstrip tracker . . . 509 (2003) 118
Davidson, D., see Tlustos, L. . . . 509 (2003) 102
Davidson, D.W., C. Fröjdh, V. O'Shea, H-E. Nilsson and M. Rahman, Limitations to flat-field correction methods when using an X-ray spectrum . . . 509 (2003) 146
Deconinck, F., Nuclear imaging in the realm of medical imaging . . . 509 (2003) 213
Delogu, P., see Novelli, M. . . . 509 (2003) 283
De Nardo, L., see Farahmand, M. . . . 509 (2003) 262
de Oliveira, R., see Fornaini, A. . . . 509 (2003) 206
de Vries, R., see Kogan, V. . . . 509 (2003) 290
Doherty, F., see Cunningham, W. . . . 509 (2003) 127

El-Abbassi, H., see Sellin, P. . . . 509 (2003) 65

Fantacci, M.E., see Novelli, M. . . . 509 (2003) 283
Fanti, V., R. Marzeddu and P. Randaccio, Medipix2 parallel readout system . . . 509 (2003) 171
Farahmand, M., A.J.J. Bos, J. Huizenga, L. De Nardo and C.W.E. van Eijk, Design of a new tissue-equivalent proportional counter based on a gas electron multiplier . . . 509 (2003) 262
Fauler, A., see Fiederle, M. . . . 509 (2003) 70
Feuerstack-Raible, M., see van Bakel, N. . . . 509 (2003) 176
Fiederle, M., A. Fauler, V. Babentsov, J. Franc, J. Konrath, M. Webel, J. Ludwig and K.W. Benz, Characterization of CdTe crystals grown by the Vertical Bridgman method . . . 509 (2003) 70

Fillion, R., see Kwiatkowski, K. . . . 509 (2003) 200
Fornaini, A., T. Boerkamp, R. de Oliveira and J. Visschers, A multi-chip board for X-ray imaging in build-up technology . . . 509 (2003) 206
Franc, J., see Fiederle, M. . . . 509 (2003) 70
Fröjdh, C., see Davidson, D.W. . . . 509 (2003) 146
Fröjdh, C., see Hjelm, M. . . . 509 (2003) 76

Gambaccini, M., see Baldazzi, G. . . . 509 (2003) 315
Gambaccini, M., see Mendes, P.R. . . . 509 (2003) 333
Garcia, A.D., see Baldazzi, G. . . . 509 (2003) 315
Garcia, A.D., see Mendes, P.R. . . . 509 (2003) 333
Gaubas, E., see Vaitkus, J. . . . 509 (2003) 60
Gerrits, M.A.F.M., see Beekman, F.J. . . . 509 (2003) 229
Giersch, J., A. Weidemann and G. Anton, ROSI—an object-oriented and parallel-computing Monte Carlo simulation for X-ray imaging . . . 509 (2003) 151
Giersch, J., see Bert, Ch. . . . 509 (2003) 240
Giersch, J., see Niederlöhner, D. . . . 509 (2003) 138
Giersch, J., see Pfeiffer, K.-F.G. . . . 509 (2003) 340
Girard, J.L., see Glasser, F. . . . 509 (2003) 183
Giubellino, P., see Baldazzi, G. . . . 509 (2003) 315
Giubellino, P., see Mendes, P.R. . . . 509 (2003) 333
Glaser, M., see Cunningham, W. . . . 509 (2003) 127
Glasser, F., P. Villard, J.P. Rostaing, M. Accensi, N. Baffert and J.L. Girard, Large dynamic range 64-channel ASIC for CZT or CdTe detectors . . . 509 (2003) 183
Goldberg, Y.A., see Blank, T.V. . . . 509 (2003) 109
Golovnia, S.N., S.A. Gorokhov, A.P. Vorobiev, O.B. Koretskaja, L.P. Okaevich and O.P. Tolbanov, The thermal stability of the working parameters of GaAs detectors . . . 509 (2003) 40
Gombia, M., see Baldazzi, G. . . . 509 (2003) 315
Gombia, M., see Mendes, P.R. . . . 509 (2003) 333
Gorokhov, S.A., see Golovnia, S.N. . . . 509 (2003) 40
Gostilo, V., A. Owens, M. Bavdaz, I. Lisjutin, A. Peacock, H. Sipila and S. Zatoloka, A comparison of the X-ray performance of TlBr crystals grown by the Bridgeman–Stockbarger and travelling molten zone methods . . . 509 (2003) 47
Groshev, V.R., see Ayzenshtat, G.I. . . . 509 (2003) 268
Grusell, E., see Sipos, A. . . . 509 (2003) 328
Grybos, P., see Baldazzi, G. . . . 509 (2003) 315
Grybos, P., see Mendes, P.R. . . . 509 (2003) 333

Haddad, L., see Roy, P. . . . 509 (2003) 132
Hartmann, R., see Lechner, P. . . . 509 (2003) 302
Hasi, J., see Da Via, C. . . . 509 (2003) 86
Heijne, E., see Tlustos, L. . . . 509 (2003) 102
Heijne, E.H.M., Semiconductor detectors in the low countries . . . 509 (2003) 1
Hendrix, J., see Plaisier, J.R. . . . 509 (2003) 274
Hjelm, M., B. Norlin, H.-E. Nilsson, C. Fröjdh and X. Badel, Monte Carlo simulation of the imaging properties of scintillator-coated X-ray pixel detectors . . . 509 (2003) 76
Hoheisel, M., see Pfeiffer, K.-F.G. . . . 509 (2003) 340
Holl, P., see Lechner, P. . . . 509 (2003) 302
Horn, M., see Cunningham, W. . . . 509 (2003) 127
Horn, M., see Cunningham, W. . . . 509 (2003) 235
Huizenga, J., see Farahmand, M. . . . 509 (2003) 262

Idzik, M., see Baldazzi, G. . . . 509 (2003) 315
Idzik, M., see Mendes, P.R. . . . 509 (2003) 333

Jakůbek, J., S. Pospíšil, D. Vavřík and J.L. Visschers, Resolution and stability tests of a Medipix-1 pixel detector for X-ray dynamic defectoscopy . . . 509 (2003) 294

Jakubek, J., see Sinor, M. . . . 509 (2003) 346
Jans, E., see van Bakel, N. . . . 509 (2003) 176
Janson, M.S., see Badel, X. . . . 509 (2003) 96
Jansweijer, P., see Bello, D.S.S. . . . 509 (2003) 164
Jarron, P., see Da Via, C. . . . 509 (2003) 86
Jasutis, V., see Silenas, A. . . . 509 (2003) 30
Juciene, V., see Silenas, A. . . . 509 (2003) 30

Kapusta, C., see Kwiatkowski, K. . . . 509 (2003) 200
Kazukauskas, V., see Cunningham, W. . . . 509 (2003) 127
Kenney, C., see Da Via, C. . . . 509 (2003) 86
Kerek, A., see Sipos, A. . . . 509 (2003) 328
Ketel, T., see van Bakel, N. . . . 509 (2003) 176
Klamra, W., see Sipos, A. . . . 509 (2003) 328
Klous, S., see van Bakel, N. . . . 509 (2003) 176
Koerten, H.K., see Plaisier, J.R. . . . 509 (2003) 274
Kogan, V., K. Bethke and R. de Vries, Applying X-rays in material analysis. . . . 509 (2003) 290
Kok, A., see Da Via, C. . . . 509 (2003) 86
Koning, R.I., see Plaisier, J.R. . . . 509 (2003) 274
Konrath, J., see Fiederle, M. . . . 509 (2003) 70
Konstantinov, O.V., see Blank, T.V. . . . 509 (2003) 109
Koretskaja, O.B., see Golovnia, S.N. . . . 509 (2003) 40
Koretskay, O.B., see Tyazhev, A.V. . . . 509 (2003) 34
Kuil, M.E., see Plaisier, J.R. . . . 509 (2003) 274
Kulis, P., U. Rogulis, M. Springis and I. Tale, Luminescent detectors of ionising radiation. . . . 509 (2003) 56
Kwiatkowski, K., J.C. Lyke, R.J. Wojnarowski, J.-F. Beche, R. Fillion, C. Kapusta, J. Millaud, R. Saia and M.D. Wilke, 3D interconnect architecture for high-bandwidth massively paralleled imager . . . 509 (2003) 200

Lai, A., see Quarati, F. . . . 509 (2003) 92
Lechner, P., R. Hartmann, P. Holl, G. Lutz, N. Meidinger, R.H. Richter, H. Soltau and L. Strüder, X-ray imaging spectrometers in present and future satellite missions . . . 509 (2003) 302
Linhart, V., see Sinor, M. . . . 509 (2003) 346
Linnros, J., see Badel, X. . . . 509 (2003) 96
Lisjutin, I., see Gostilo, V. . . . 509 (2003) 47
Litke, A., see Cunningham, W. . . . 509 (2003) 235
Llopart, X. and M. Campbell, First test measurements of a 64k pixel readout chip working in single photon counting mode . . . 509 (2003) 157
Löchner, S., see van Bakel, N. . . . 509 (2003) 176
Ludwig, J., see Fiederle, M. . . . 509 (2003) 70
Lutz, G., see Lechner, P. . . . 509 (2003) 302
Lyke, J.C., see Kwiatkowski, K. . . . 509 (2003) 200

Marzari-Chiesa, A., see Baldazzi, G. . . . 509 (2003) 315
Marzari-Chiesa, A., see Mendes, P.R. . . . 509 (2003) 333
Marzeddu, R., see Fanti, V. . . . 509 (2003) 171
Mathieson, K., see Cunningham, W. . . . 509 (2003) 235
McEwan, F.A., see Cunningham, W. . . . 509 (2003) 235
Meidinger, N., see Lechner, P. . . . 509 (2003) 302
Melone, J., see Cunningham, W. . . . 509 (2003) 127
Melone, J., see Cunningham, W. . . . 509 (2003) 235
Melone, J., see Roy, P. . . . 509 (2003) 132
Mendes, P.R., M.C. Abreu, G. Baldazzi, D. Bollini, A.E.C. Rodriguez, W. Dabrowski, A.D. Garcia, M. Gambaccini, P. Giubellino, M. Gombia, P. Grybos, M. Idzik, A. Marzari-Chiesa, L.M. Montano, F. Prino, L. Ramello, S. Rodrigues, M. Sitta, P. Sousa, K. Swientek, A. Taibi, A. Tuffanelli, R. Wheadon and P. Wiacek, Silicon strip detectors for two-dimensional soft X-ray imaging at normal incidence. . . . 509 (2003) 333

Mettivier, G., M.C. Montesi and P. Russo, Design of a compact gamma camera with semiconductor hybrid pixel detectors: imaging tests with a pinhole collimator . . . 509 (2003) 321
Mikulec, B., see Sinor, M. . . . 509 (2003) 346
Mikulec, B., see Tlustos, L. . . . 509 (2003) 102
Millaud, J., see Kwiatkowski, K. . . . 509 (2003) 200
Molnár, J., see Sipos, A. . . . 509 (2003) 328
Montano, L.M., see Mendes, P.R. . . . 509 (2003) 333
Montesi, M.C., see Mettivier, G. . . . 509 (2003) 321

Niederlöhner, D., Ch. Bert, J. Giersch, K.-F. Pfeiffer and G. Anton, Threshold characterisation of the Medipix1 chip . . . 509 (2003) 138
Niederlöhner, D., see Bert, Ch. . . . 509 (2003) 240
Nilsson, H-E., see Davidson, D.W. . . . 509 (2003) 146
Nilsson, H.-E., see Hjelm, M. . . . 509 (2003) 76
Norlin, B., see Hjelm, M. . . . 509 (2003) 76
Norlin, L.-O., see Sipos, A. . . . 509 (2003) 328
Novák, D., see Sipos, A. . . . 509 (2003) 328
Novelli, M., S.R. Amendolia, M.G. Bisogni, M. Boscardin, G.F.D. Betta, P. Delogu, M.E. Fantacci, M. Quattrocchi, V. Rosso, A. Stefanini, L. Venturelli and S. Zucca, Semiconductor pixel detectors for digital mammography . . . 509 (2003) 283
Novikov, V.A., see Tyazhev, A.V. . . . 509 (2003) 34

Okaevich, L.P., see Golovnia, S.N. . . . 509 (2003) 40
Okaevich, L.S., see Tyazhev, A.V. . . . 509 (2003) 34
O'Shea, V., see Cunningham, W. . . . 509 (2003) 235
O'Shea, V., see Davidson, D.W. . . . 509 (2003) 146
O'Shea, V., see Roy, P. . . . 509 (2003) 132
Österman, J., see Badel, X. . . . 509 (2003) 96
Owens, A., see Gostilo, V. . . . 509 (2003) 47

Pannu, N.S., see Plaisier, J.R. . . . 509 (2003) 274
Peacock, A., see Gostilo, V. . . . 509 (2003) 47
Pellegrini, G., see Roy, P. . . . 509 (2003) 132
Perozziello, E., see Da Via, C. . . . 509 (2003) 86
Pfeiffer, K.-F., see Bert, Ch. . . . 509 (2003) 240
Pfeiffer, K.-F., see Niederlöhner, D. . . . 509 (2003) 138
Pfeiffer, K.-F.G., J. Giersch, G. Anton, L. Bätz and M. Hoheisel, Large-scale images taken with the Medipix1 chip . . . 509 (2003) 340
Plaisier, J.R., R.I. Koning, H.K. Koerten, A.M. van Roon, E.A.J. Thomassen, M.E. Kuil, J. Hendrix, C. Broennimann, N.S. Pannu and J.P. Abrahams, Area detectors in structural biology . . . 509 (2003) 274
Pospíšil, S., see Jakůbek, J. . . . 509 (2003) 294
Pospisil, S., see Sinor, M. . . . 509 (2003) 346
Potapov, A.I., see Tyazhev, A.V. . . . 509 (2003) 34
Pozela, J., see Silenas, A. . . . 509 (2003) 30
Pozela, K., see Silenas, A. . . . 509 (2003) 30
Prino, F., see Baldazzi, G. . . . 509 (2003) 315
Prino, F., see Mendes, P.R. . . . 509 (2003) 333

Quarati, F., S. Cadeddu, A. Lai, A. Sesselego and M. Caria, Fabrication process validation for a double-sided silicon pixel detector . . . 509 (2003) 92
Quattrocchi, M., see Novelli, M. . . . 509 (2003) 283

Rahman, M., see Cunningham, W. . . . 509 (2003) 127
Rahman, M., see Cunningham, W. . . . 509 (2003) 235
Rahman, M., see Davidson, D.W. . . . 509 (2003) 146
Rahman, M., see Roy, P. . . . 509 (2003) 132

Rahman, M., see Vaitkus, J. . . . 509 (2003) 60
Ramello, L., see Baldazzi, G. . . . 509 (2003) 315
Ramello, L., see Mendes, P.R. . . . 509 (2003) 333
Randaccio, P., see Fanti, V. . . . 509 (2003) 171
Richter, R.H., see Lechner, P. . . . 509 (2003) 302
Rodrigues, S., see Mendes, P.R. . . . 509 (2003) 333
Rodriguez, A.E.C., see Baldazzi, G. . . . 509 (2003) 315
Rodriguez, A.E.C., see Mendes, P.R. . . . 509 (2003) 333
Rogulis, U., see Kulis, P. . . . 509 (2003) 56
Rosso, V., see Novelli, M. . . . 509 (2003) 283
Rostaing, J.P., see Glasser, F. . . . 509 (2003) 183
Roy, P., G. Pellegrini, A. Al-Ajili, R. Bates, L. Haddad, J. Melone, V. O'Shea, K.M. Smith, V. Wright and M. Rahman, Study of irradiated 3D detectors . . . 509 (2003) 132
Roy, P., see Cunningham, W. . . . 509 (2003) 127
Russo, P., see Mettivier, G. . . . 509 (2003) 321

Saia, R., see Kwiatkowski, K. . . . 509 (2003) 200
Sakai, S., see Vaitkus, J. . . . 509 (2003) 60
Samic, H., see Bréelle, E. . . . 509 (2003) 26
Sanchez-Crespo, A., see Sipos, A. . . . 509 (2003) 328
Sanderink, G.C.H., Intra-oral and extra-oral digital imaging: an overview of factors relevant to detector design 509 (2003) 256
Savinov, G.A., see Ayzenshtat, G.I. . . . 509 (2003) 268
Sellin, P., H. El-Abbassi, J.C. Bourgoin and G.C. Sun, Laser-induced pulse shapes in partially depleted epitaxial GaAs radiation detectors . . . 509 (2003) 65
Sesselego, A., see Quarati, F. . . . 509 (2003) 92
Sexauer, E., see van Bakel, N. . . . 509 (2003) 176
Sherwood Parker, see Da Via, C. . . . 509 (2003) 86
Silenas, A., K. Pozela, L. Dapkus, V. Jasutis, V. Juciene, J. Pozela and K.M. Smith, Graded-gap $Al_xGa_{1-x}As$ X-ray detector with collected charge multiplication . . . 509 (2003) 30
Sinor, M., J. Jakubek, V. Linhart, B. Mikulec, S. Pospisil and B. Sopko, Charge sharing studies with a Medipix1 pixel device . . . 509 (2003) 346
Sipila, H., see Gostilo, V. . . . 509 (2003) 47
Sipos, A., E. Grusell, A. Kerek, W. Klamra, J. Molnár, L.-O. Norlin, D. Novák, A. Sanchez-Crespo, J. Van der Marel and J. Végh, Visualization of neutron and proton induced particle production in a CMOS image sensor 509 (2003) 328
Sitta, M., see Baldazzi, G. . . . 509 (2003) 315
Sitta, M., see Mendes, P.R. . . . 509 (2003) 333
Smale, N., see van Bakel, N. . . . 509 (2003) 176
Smith, K.M., see Cunningham, W. . . . 509 (2003) 235
Smith, K.M., see Roy, P. . . . 509 (2003) 132
Smith, K.M., see Silenas, A. . . . 509 (2003) 30
Smith, K.M., see Vaitkus, J. . . . 509 (2003) 60
Snoek, H., see van Bakel, N. . . . 509 (2003) 176
Soltau, H., see Lechner, P. . . . 509 (2003) 302
Sopko, B., see Sinor, M. . . . 509 (2003) 346
Sousa, P., see Mendes, P.R. . . . 509 (2003) 333
Springis, M., see Kulis, P. . . . 509 (2003) 56
Stefanini, A., see Novelli, M. . . . 509 (2003) 283
Strüder, L., see Lechner, P. . . . 509 (2003) 302
Sun, G.C., see Bréelle, E. . . . 509 (2003) 26
Sun, G.C., see Sellin, P. . . . 509 (2003) 65
Swientek, K., see Baldazzi, G. . . . 509 (2003) 315
Swientek, K., see Mendes, P.R. . . . 509 (2003) 333

Taibi, A., see Baldazzi, G. . . . 509 (2003) 315
Taibi, A., see Mendes, P.R. . . . 509 (2003) 333
Tale, I., see Kulis, P. . . . 509 (2003) 56

Thomassen, E.A.J., see Plaisier, J.R. . . . 509 (2003) 274
Tlustos, L., D. Davidson, M. Campbell, E. Heijne and B. Mikulec, Fixed pattern deviations in Si pixel detectors measured using the Medipix1 readout chip . . . 509 (2003) 102
Tolbanov, O.P., see Ayzenshtat, G.I. . . . 509 (2003) 52
Tolbanov, O.P., see Ayzenshtat, G.I. . . . 509 (2003) 268
Tolbanov, O.P., see Golovnia, S.N. . . . 509 (2003) 40
Tolbanov, O.P., see Tyazhev, A.V. . . . 509 (2003) 34
Trunk, U., see van Bakel, N. . . . 509 (2003) 176
Tuffanelli, A., see Baldazzi, G. . . . 509 (2003) 315
Tuffanelli, A., see Mendes, P.R. . . . 509 (2003) 333
Tyazhev, A.V., D.L. Budnitsky, O.B. Koretskay, V.A. Novikov, L.S. Okaevich, A.I. Potapov, O.P. Tolbanov and A.P. Vorobiev, GaAs radiation imaging detectors with an active layer thickness up to 1 mm . . . 509 (2003) 34

Vaitkus, J., W. Cunningham, E. Gaubas, M. Rahman, S. Sakai, K.M. Smith and T. Wang, Semi-insulating GaN and its evaluation for α particle detection . . . 509 (2003) 60
Vaitkus, J., see Cunningham, W. . . . 509 (2003) 127
van Bakel, N., D. Baumeister, M. van Beuzekom, H.J. Bulten, M. Feuerstack-Raible, E. Jans, T. Ketel, S. Klous, S. Löchner, E. Sexauer, N. Smale, H. Snoek, U. Trunk and H. Verkooijen, Characterisation of a radiation hard front-end chip for the vertex detector of the LHCb experiment at CERN . . . 509 (2003) 176
van Beuzekom, M., see Bello, D.S.S. . . . 509 (2003) 164
van Beuzekom, M., see van Bakel, N. . . . 509 (2003) 176
Van der Marel, J., see Sipos, A. . . . 509 (2003) 328
van Eijk, C.W.E., Inorganic scintillators in medical imaging detectors. . . . 509 (2003) 17
van Eijk, C.W.E., see Farahmand, M. . . . 509 (2003) 262
van Roon, A.M., see Plaisier, J.R. . . . 509 (2003) 274
Vastenhouw, B., see Beekman, F.J. . . . 509 (2003) 229
Vavřík, D., see Jakůbek, J. . . . 509 (2003) 294
Végh, J., see Sipos, A. . . . 509 (2003) 328
Venturelli, L., see Novelli, M. . . . 509 (2003) 283
Verkooijen, H., see Bello, D.S.S. . . . 509 (2003) 164
Verkooijen, H., see van Bakel, N. . . . 509 (2003) 176
Villard, P., see Glasser, F. . . . 509 (2003) 183
Visschers, J., see Bello, D.S.S. . . . 509 (2003) 164
Visschers, J., see Fornaini, A. . . . 509 (2003) 206
Visschers, J.L., see Jakůbek, J. . . . 509 (2003) 294
Vorobiev, A.P., see Ayzenshtat, G.I. . . . 509 (2003) 52
Vorobiev, A.P., see Ayzenshtat, G.I. . . . 509 (2003) 268
Vorobiev, A.P., see Golovnia, S.N. . . . 509 (2003) 40
Vorobiev, A.P., see Tyazhev, A.V. . . . 509 (2003) 34

Wang, T., see Vaitkus, J. . . . 509 (2003) 60
Watts, S.J., see Da Via, C. . . . 509 (2003) 86
Webel, M., see Fiederle, M. . . . 509 (2003) 70
Weidemann, A., see Giersch, J. . . . 509 (2003) 151
Wheadon, R., see Baldazzi, G. . . . 509 (2003) 315
Wheadon, R., see Mendes, P.R. . . . 509 (2003) 333
Wiacek, P., see Baldazzi, G. . . . 509 (2003) 315
Wiacek, P., see Mendes, P.R. . . . 509 (2003) 333
Wiegant, V.M., see Beekman, F.J. . . . 509 (2003) 229
Wilke, M.D., see Kwiatkowski, K. . . . 509 (2003) 200
Wojnarowski, R.J., see Kwiatkowski, K. . . . 509 (2003) 200
Wright, V., see Roy, P. . . . 509 (2003) 132

Zatoloka, S., see Gostilo, V. . . . 509 (2003) 47
Zetina, L.M.M., see Baldazzi, G. . . . 509 (2003) 315
Zucca, S., see Novelli, M. . . . 509 (2003) 283